



# VISIANO 20

Most powerful  
examination light

**NEW**

Now also as  
**Pro** Version



## Light in its most precise form – for perfect visibility during every examination

For years, the VISIANO 20 has stood for quality, reliability, and timeless design. The new VISIANO 20 Pro continues this success story, now with 80 000 lux for the highest demands. Both versions combine ergonomic design with a homogeneous light field and diamond optics for precise light control. The closed housing allows easy, hygienic cleaning and ensures durability. Flexible, precise, comfortable – light exactly as needed.

### 360° rotatable light head

Enables maximum flexibility and effortless positioning.



### Intuitive operation

VISIANO 20 is conveniently operated via the touch panel on light head.

### Closed design

Robust materials and a closed design allow easy cleaning.



### Diamond optics

Ensure an even, homogeneous light field and optimal illumination of the treatment area.

### Two colour temperatures

Easy switching between cool and warm light ensures detail accuracy and perfect contrast.

# NEW

With 80 000 lux, the most powerful examination light.  
**VISIANO 20 Pro**

## The most powerful examination light in its category

The VISIANO 20 impresses with a homogeneous light field, high colour rendering, and ergonomic design for perfect visibility during every examination. Thanks to various mounting options, the light can be optimally integrated into any environment.

**VISIANO 20**  
Ceiling version



**VISIANO 20**  
Pin version



VISIANO 20	Technical data
Illuminance	60 000 Lux at 0.5 m <b>Pro: 80 000 Lux at 0.5 m</b>
Color temperature	3 500 K & 4 500 K
Light field diameter (D10)	21 cm at 0.5 m
Colour rendering index CRI (Ra)	95
Power consumption	17 W Pro: 21 W
Degree of protection	IP 20
Protection class	Ceiling: I Pin: II
Standards	EN 60601-1, EN 60601-2-41
Special features	2 color temperatures, 4 dimming levels, rotary union (360° turnover axis)

Order number: VISIANO 20	
VISIANO 20-2 C T1	D15450000-00633104
	D15451000-00633107 - EU
VISIANO 20-2 P TX	D15456000-00678230 - UK
	D15461000-00709028 - US
VISIANO 20-2 Pro C T1	D16377000-00817850
	D16378000-00817851 - EU
VISIANO 20-2 Pro P TX	D16379000-00817852 - UK
	D16380000-00817853 - US

**NEW**



## Headquarters

Derungs Licht AG  
Hofmattstrasse 12  
9200 Gossau  
Switzerland  
+41 71 388 11 66  
mailbox@derungs.swiss  
www.derungs.swiss

## Consulting & Distribution

### Germany

Derungs Medical GmbH  
Rudolf-Diesel-Strasse 2  
78239 Rielasingen-Worblingen  
Germany  
Tel. +49 7731 90 97 19-0  
info@derungsmedical.com

### France

Waldmann Eclairage S.A.S.  
Zone Industrielle  
Rue de l'Embranchement  
67116 Reichstett  
France  
Tel. +33 3 88 20 95 88  
info-fr@waldmann.com

### Italy

Waldmann Illuminotecnica S.r.l.  
Via della Pace, 18 A  
20098 San Giuliano Milanese (MI)  
Italy  
Tel. +39 02 98 24 90 24  
Fax +39 02 98 24 63 78  
info-it@waldmann.com

### Netherlands

Waldmann BV  
De Ooyen 25,  
4191 PB Geldermalsen,  
Netherlands  
Tel. +31 344 631019  
info-nl@waldmann.com

### Austria

Waldmann Lichttechnik Ges.m.b.H.  
Gewerbepark Wagram 7  
4061 Pasching/Linz  
Austria  
Tel. +43 7229 67400  
Fax +43 7229 67444  
info-at@waldmann.com

### Scandinavia

Waldmann Ljusteknik AB  
Botvid Business Center  
Fågelviksvägen 9  
SE-145 53 Norsborg  
Sweden  
Tel. +46 8 990 350  
Fax +46 8 991 609  
info-se@waldmann.com

### Switzerland

Waldmann Lichttechnik GmbH  
Benkenstrasse 57  
5024 Küttigen  
Switzerland  
Tel. +41 62 839 1212  
Fax +41 62 839 1299  
info-ch@waldmann.com

### United States

Waldmann Lighting Company  
9 W. Century Drive  
Wheeling, Illinois 60090  
United States  
Tel. +1 847 520 1060  
Fax +1 847 520 1730  
waldmann@waldmannlighting.com

### China

Waldmann Lighting (Shanghai) Co., Ltd.  
Part A11a, No. Five Normative Workshop  
199 Changjian Road, Baoshan  
Shanghai, P.R.C. 200949  
China  
Tel. +86 21 5169 1799  
Fax +86 21 3385 0032  
info-cn@waldmann.com



Derungs Licht AG is a company of the Waldmann Group  
www.derungs.swiss